

Digital Display

with installed power supply, programmable for pressure transmitters

4-digit, 96x48x130



Model DPM

General function

The process-controlled digital display **DPM** can be set via front panel key pad and sliding switches.

Both the span of the LED and the limit values can be adjusted via the easy to use 3-key pad and optionally can be locked with the sliding switch.

With the optional 2 or 4 alarm contacts smaller process controlling functions can be realised easily, cost-saving and without any additional devices. Because of its splash-proofed front the **DPM** is excellently suitable for applications in rough industrial environments.

Features

- front-sided protection type IP65
- optional current output 0/4-20mA
- optional 2 or 4 limit values
- adjustable hysteresis
- sensor supply (for output -gs)
- lighted signal unit marking (any unit)
- plug-in terminal blocks
- CE-marking



Ordering Information

Basic model

DPM

Input

co-current flow

= **gs**

Pt 100

= **pt**

potentiometer

= **P**

without (standard)

= without information

Current output

0/4-20 mA

= **sa**

Switching outputs

= **2 GW**

Power supply

= **4 GW**

Special version

230 V AC, 24 VDC or 115 V AC

e.g. current output (sa) 0-10 V; others upon request

Examples

DPM-gs-2GW, 230 V AC

Technical Data

Case	switch panel mounting	96x48x130mm with 2 lateral mounting clips
Panel cut out	(WxH)	92.5x45mm Tol. -0.5mm
Protection type	front- / backsided	IP65 / IP20
Ambience	operating temperat.	0...+50 °C (32...122 °F)
	storing temperature	-20...+70 °C (-4...158 °F)
	air humidity	0...95% without bedewing
Input	Pt100	-100.0...+600.0 °C (-148...1112 °F)
	current / voltage	0/4-20mA ($R_i=50\Omega$), 0-1V, 0-10V($R_i=50k\Omega$)
	potentiometer	0.1...10kΩ
Accuracy	and resolution	0.1% ± 1 digit, 15 bit
Display	7-segment	-1999...+9999
Sensor supply	short-circuit proof	approx. 20V DC max. 30mA
Auxiliary supply	AC	230V AC, 50/60 Hz approx. 7VA
	AC	115V AC, 50/60 Hz
	DC	24 V DC ± 10% max. 0.3A
Options		
Switching outputs	2 or 4 limit values	250V/3A AC change-over, gold border hysteresis and switching function adjustable
Analogue output -sa	current 0/4-20mA	12bit resolution, max. 500Ω load impedance free adjustable (voltage 0-10V as special version)

Technical changes, replacement of materials and errors excepted.



Sales and Export South, West, North

ARMATURENBAU GmbH
Manometerstraße • D-46487 Wesel - Ginderich
Phone: (0 28 03) 91 30-0 • Fax: (0 28 03) 10 35
armaturenbau.com • mail@armaturenbau.com




MANOTHERM Beierfeld GmbH
Am Gewerbepark 9 • D-08344 Grünhain-Beierfeld
Phone: +49(0)3774/58-0 Fax: +49(0)3774/58-545
manotherm.com • mail@manotherm.com

9910
08/10


Connection DPM-gs (current/voltage)

max. 4 switching outputs (change-over contacts)




Connection DPM-pt (Pt100)


max. 4 switching outputs (change-over contacts)



Connection DPM-p (potentiometer)




Operating- and Display Elements




Set sliding switch "SS1" for parameter setting to "P".
After successful adjustment, please set "SS1" to "R", to lock the programme mode.

Parameter List for Switch Point Setting



Changing a Parameter Value



Display Information

Loc	• Programm level is locked. Set sliding switch "SS1" to "P" (progr.).
Code	• Settings are code-protected. Enable parameter with code "6090" and change afterwards.
PAGE	• Select page between "Sch.P" and "Conf".
run	• Back to display mode.
E2C	• Escape: changed parameter value will not be stored.
SER	• Service page: indication of the programme name, software version, resetting of the parameters to delivery status possible (code 4095).


Displaying an Alarm Value (S1...S4)

Values S1...S4 can be displayed via keys **<** or **>**. After 5 seconds the device returns to the display mode.

Fast Change of the Limit Value (S1...S4)

- Select limit value (see above)
- Hold key **P**
- Change with **<** or **>**

Parameter List Configuration



Alarm Displays

- | | |
|--------------|--|
| F.nEE | • Power failure: power supply has under-run incorrectly. |
| F.uEb | • Display exceeded: value higher than "9999". |
| F.uNt | • Display under-run: value smaller than "-1999". |
| F.2En | • Sensor failure: wire interruption or short circuit of the sensor (only input Pt100). |
| F.InP | • Input error: input signal is higher than the defined input range. |
| E. | • Error: an internal error has occurred. The error code will be displayed. |